AMENDMENTS TO THE CLAIMS

Claims 27 and 28 have been amended. A complete listing of the currently pending claims is provided below.

1. (Previously Presented) A computer implemented process for materializing a trace in a markup language syntax, the process comprising:

creating a meta-language grammar;

creating a trace grammar in which the trace grammar complies with rules of the meta-language grammar;

generating one or more traces compliant with the trace grammar;

parsing the one or more traces;

identifying interrelationships within the one or more traces; and

generating a new version of the one or more traces using a markup language
syntax.

- 2. (Original) The process of claim 1 in which a subset of the one or more traces are compliant with a second trace grammar, the second trace grammar being different from the trace grammar, wherein the second trace grammar also complies with the rules of the meta-language grammar.
- 3. (Original) The process of claim 2 further comprising:
 detecting a format conflict between the trace grammar and the second trace grammar.
- 4. (Original) The process of claim 1 further comprising:

 generating parsing rules based upon an analysis of the trace grammar.
- 5. (Original) The process of claim 1 further comprising:

 analyzing the one or more traces to ensure compliance with the trace grammar.
- 6. (Original) The process of claim 1 further comprising: storing results of parsing in one or more tables.

- 7. (Original) The process of claim 6 in which the one or more tables comprises hash tables corresponding to keywords in the one or more traces.
- 8. (Original) The process of claim 1 further comprising:

 building a semantic network corresponding to the identified interrelationships.
- 9. (Original) The process of claim 8 in which the semantic network comprises at least one link and at least two nodes.
- 10. (Original) The process of claim 9 in which the at least two nodes represent resources and the at least one link defines a relationship between the at least two nodes.
- 11. (Original) The process of claim 9 in which each of the at least two nodes is represented as a keyword-UID combination.
- 12. (Original) The process of claim 8 in which the semantic network is represented using a semantic network representation language.
- 13. (Previously Presented) The process of claim 12 in which the semantic network representation language is selected from the group consisting of SnePs, SGML, XML, and HTML.
- 14. (Original) The process of claim 8 in which the semantic network is persistently stored.
- 15. (Original) The process of claim 8 in which the semantic network is built using a semantic network builder system.
- 16. (Previously Presented) The process of claim 8 further comprising:
 performing a search of the semantic network based upon a received query.
- 17. (Original) The process of claim 16 in which the semantic network is utilized to identify hyperlinks to be embedded into the new version of the one or more traces.

- 18. (Original) The process of claim 1 in which the new version of the one or more traces comprises a hyperlink.
- 19. (Original) The process of claim 1 further comprising defining a second meta-language grammar.
- 20. (Original) A system for materializing a trace having markup language syntax, comprising:
- a first mechanism that receives one or more trace grammars, the one or more trace grammars modifiable within rules of a meta-language grammar;
- a parser to parse one or more traces complying with the one or more trace grammars;
- a second mechanism to build one or more semantic networks based upon interrelationships for the one or more traces; and
- a manifestation mechanism to generate a new version of the traces to include a hyperlink based upon the one or more semantic networks.
- 21. (Previously Presented) The system of claim 20 in which the first mechanism constructs one or more parsing rules utilized by the parser to parse the one or more traces.
- 22. (Original) The system of claim 20 in which the parser stores results of the parsing in one or more tables.
- 23. (Original) The system of claim 22 in which the one or more tables comprises hash tables corresponding to keywords in the one or more traces.
- 24. (Original) The system of claim 20 in which each of the one or more semantic networks comprises at least two nodes and at least one link.
- 25. (Original) The system of claim 24 in which each of the at least two nodes represent a resource and the at least one link defines a relationship.
- 26. (Original) The system of claim 24 in which each of the at least two nodes is represented as a

keyword-UID combination.

- 27. (Currently Amended) The system of claim [[8]]20 in which the one or more semantic networks are represented using a semantic network representation language.
- 28. (Currently Amended) The <u>process system</u> of claim [[12]]<u>27</u> in which the semantic network representation language is selected from the group consisting of SnePs, SGML, XML, and HTML.
- 29. (Original) The system of claim 20 in which the one or more semantic networks are persistently stored.
- 30. (Original) The system of claim 20 further comprising:
 a network navigator mechanism to search the one or more semantic networks.
- 31. (Original) The system of claim 30 in which the network navigator mechanism performs a search of the one or more semantic networks based upon receiving a query.
- 32. (Original) A computer program product that includes a computer-usable medium having a sequence of instructions which, when executed by a processor, causes said processor to execute a process for materializing a trace in a markup language syntax, said process comprising:

creating a trace grammar in which the trace grammar complies with rules of a meta-language grammar;

generating one or more traces compliant with the trace grammar; parsing the one or more traces; identifying interrelationships within the one or more traces; and

generating a new version of the one or more traces using a markup language

syntax.